



Col C

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			
REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.322		Docket Number: <b>12577/62</b>	
Application Number <b>10/533,687</b>	Filing Date <b>May 2, 2005</b>	Examiner <b>Tara S. PAJOOHI</b>	Art Unit <b>2886</b>
Patent Number <b>7,453,568</b>	Issue Date <b>November 18, 2008</b>		
Invention Title <b>FLUORESCENCE OBSERVATION EQUIPMENT</b>		Inventor(s) <b>KAWAMATA et al.</b>	

Address to:  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on  
Date: February 9, 2009  
Signature: SONG LEE for Richard Rosati (R. No. 36,197)  
Richard M. Rosati (Reg. No. 31,792)

S I R:

We have compared the above patent with the application as filed and have found errors in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. §254. The exact column and line number where the errors occur in the patent is listed on the enclosed certificate.

The errors that appear in this patent are Patent Office errors and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

Dated: February 9, 2009

By: SONG LEE for Richard Rosati (R. No. 36,197)  
Richard M. Rosati (Reg. No. 31,792)

KENYON & KENYON LLP  
One Broadway  
New York, N.Y. 10004  
(212) 425-7200 (telephone)  
(212) 425-5288 (facsimile)  
CUSTOMER NO. 26646

Certificate  
FEB 13 2009  
of Correction

FEB 13 2009

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

**PATENT No. :** 7,453,568

**DATED :** November 18, 2008

**INVENTOR(S):** KAWAMATA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 26, line 41, change "a high refractive index films" to -- high refractive index films --.

**MAILING ADDRESS OF SENDER**

Kenyon & Kenyon, LLP  
One Broadway  
New York, NY 10004

**Patent No. 7,456,568**

No. of add'l. copies \_\_\_\_\_

@ 30 ¢ per page

FORM PTO 1050 (REV 3.82) **MODIFIED**

FEB 13 2009

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

**PATENT No. :** 7,453,568  
**DATED :** November 18, 2008  
**INVENTOR(S):** KAWAMATA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 26, line 41, change "a high refractive index films" to -- high refractive index films --.

**MAILING ADDRESS OF SENDER**

Kenyon & Kenyon, LLP  
One Broadway  
New York, NY 10004

**Patent No. 7,456,568**

No. of add'l. copies \_\_\_\_\_

@ 30 ¢ per page

FORM PTO 1050 (REV 3.82) **MODIFIED**

FEB 13 2009